



PATIENT INFORMATION	Patient Name: _____	PRESCRIBER INFORMATION	Prescriber's Name: _____
	Address: _____		State License #: _____ NPI #: _____
	City: _____ State: _____ Zip: _____		DEA #: _____
	Primary Phone: _____ DOB: _____		Group or Hospital: _____
	Alternate Phone: _____ Gender: <input type="checkbox"/> Male <input type="checkbox"/> Female		Address: _____
	Email: _____		City: _____ State: _____ Zip: _____
	Last Four of SS #: _____ Primary Language: _____		Phone: _____ Fax: _____
	Height: _____ Weight: _____		Contact Person: _____ Phone: _____

INSURANCE INFORMATION: PLEASE FAX A COPY OF THE PRESCRIPTION & INSURANCE CARDS WITH THIS FORM, IF AVAILABLE (FRONT & BACK)

CLINICAL	Need By Date: _____ Ship to: <input type="checkbox"/> Patient <input type="checkbox"/> Physician <input type="checkbox"/> Other: _____
	Date of Diagnosis: _____ Diagnosis: <input type="checkbox"/> M06.9 Rheumatoid Arthritis <input type="checkbox"/> M45.9 Ankylosing Spondylitis <input type="checkbox"/> L40.54 Psoriatic Arthritis <input type="checkbox"/> M08 Juvenile Idiopathic Arthritis <input type="checkbox"/> Other: _____
	Prior Medications: <input type="checkbox"/> Acetaminophen, ibuprofen, naproxen, aspirin <input type="checkbox"/> Humira <input type="checkbox"/> Enbrel <input type="checkbox"/> Methotrexate <input type="checkbox"/> Corticosteroids <input type="checkbox"/> Hydroxychloroquine <input type="checkbox"/> Leflunomide <input type="checkbox"/> Sulfasalazine <input type="checkbox"/> Other meds tried: _____
	Current Medications: _____ Is the patient also taking methotrexate? <input type="checkbox"/> Yes <input type="checkbox"/> No
	Allergies: _____ Is the patient new to therapy? <input type="checkbox"/> Yes <input type="checkbox"/> No
Has patient had positive TB test? <input type="checkbox"/> Yes <input type="checkbox"/> No If yes, date of last chest x-ray: _____ Is a starter dose needed? <input type="checkbox"/> Yes <input type="checkbox"/> No	

MEDICATION	DOSE/STRENGTH	DIRECTIONS	QUANTITY	REFILL	
<input type="checkbox"/> Cimzia®	<input type="checkbox"/> Starter Kit (200 mg Prefilled Syringes)	<input type="checkbox"/> 400mg Sub-Q at weeks 0, 2, and 4	<input type="checkbox"/> 1 Kit = 6 x 200 mg/mL PFS	0	
	<input type="checkbox"/> 200mg/ml Prefilled Syringe <input type="checkbox"/> 200mg Vial	<input type="checkbox"/> 400mg Sub-Q every 4 weeks <input type="checkbox"/> 200mg Sub-Q every 2 weeks <input type="checkbox"/> Other: _____	<input type="checkbox"/> 1 Carton = 2 x 200 mg/mL PFS <input type="checkbox"/> 1 Carton = 2 x 200 mg Vials	—	
	<input type="checkbox"/> Enbrel®	<input type="checkbox"/> 50mg/ml Sureclick™ <input type="checkbox"/> 50mg/ml Prefilled Syringe <input type="checkbox"/> 25mg/0.5ml Prefilled Syringe <input type="checkbox"/> 25mg Vial	<input type="checkbox"/> Inject 50mg Sub-Q ONCE a week <input type="checkbox"/> Inject 25mg Sub-Q TWICE a week (72-96 hours apart). <input type="checkbox"/> Inject 50mg Sub-Q TWICE a week (72-96 hours apart).	<input type="checkbox"/> 4 <input type="checkbox"/> 8	—
<input type="checkbox"/> Humira®	<input type="checkbox"/> 40mg/0.8ml Pen <input type="checkbox"/> 40mg/0.8ml Prefilled Syringe	<input type="checkbox"/> Inject 40mg Sub-Q every OTHER week <input type="checkbox"/> Inject 40mg Sub-Q every week	<input type="checkbox"/> 2 <input type="checkbox"/> 4	—	
<input type="checkbox"/> Actemra®	<input type="checkbox"/> 162mg/0.9ml Prefilled Syringe	<input type="checkbox"/> Inject 162mg Sub-Q every OTHER week <input type="checkbox"/> Inject 162mg Sub-Q every week	<input type="checkbox"/> 2 <input type="checkbox"/> 4	—	
<input type="checkbox"/> Orencia®	<input type="checkbox"/> 250mg Vial (IV use only)	<input type="checkbox"/> 10mg/kg IV x 1 dose, then 125mg Sub-Q weekly, start within 24hrs of IV dose <input type="checkbox"/> Other: _____	<input type="checkbox"/> 1 Vial	—	
	<input type="checkbox"/> 125 mg Prefilled Syringe	<input type="checkbox"/> 125mg Sub-Q ONCE a week	<input type="checkbox"/> 4 Syringes	—	
	<input type="checkbox"/> 125 mg Autoinjector	<input type="checkbox"/> 125mg Sub-Q ONCE a week	<input type="checkbox"/> 4 Pens	—	
<input type="checkbox"/> Simponi®	<input type="checkbox"/> 50mg/0.5ml Autoinjector <input type="checkbox"/> 50mg/0.5ml Prefilled Syringe <input type="checkbox"/> 100mg/ml Syringe <input type="checkbox"/> 100mg/ml Autoinjector	<input type="checkbox"/> Inject 1 dose Sub-Q once monthly <input type="checkbox"/> Other: _____	<input type="checkbox"/> 1 (one)	—	
	<input type="checkbox"/> Cosentyx®	<input type="checkbox"/> 150mg/mL Prefilled Syringe	<input type="checkbox"/> Starter Dose: Inject 300mg Sub-Q Day 1, Day 8, Day 15, Day 22, and then every 4 weeks starting on Day 29	<input type="checkbox"/> 8	0
			<input type="checkbox"/> Starter dose: Inject 150mg Sub-Q Day 1, Day 8, Day 15, Day 22, and then every 4 weeks starting on Day 29	<input type="checkbox"/> 4	0
<input type="checkbox"/> Maintenance Dose: Inject the contents of 300mg Sub-Q starting Day 29 & then every 4 weeks thereafter			<input type="checkbox"/> 2	—	
<input type="checkbox"/> 150mg/mL Pen	<input type="checkbox"/> Maintenance Dose: Inject the contents of 150mg Sub-Q starting Day 29 & then every 4 weeks thereafter	<input type="checkbox"/> 2	—		
<input type="checkbox"/> Stelara®	<input type="checkbox"/> 45mg/0.5mL Prefilled Syringe <input type="checkbox"/> 90mg/1mL Prefilled Syringe	<input type="checkbox"/> Starter Dose: Inject 1 prefilled syringe Sub-Q Day 1	<input type="checkbox"/> 1 PFS	0	
		<input type="checkbox"/> Maintenance Dose: Inject the contents of 1 prefilled syringe Sub-Q starting Day 29 & every 12 weeks thereafter	<input type="checkbox"/> 1 PFS	—	
<input type="checkbox"/> Xeljanz®	<input type="checkbox"/> 5mg Tab <input type="checkbox"/> 11mg XR Tab	<input type="checkbox"/> Take one 5mg tablet PO twice daily <input type="checkbox"/> Take one 11mg XR tablet PO once daily <input type="checkbox"/> Other: _____	<input type="checkbox"/> 60 <input type="checkbox"/> 30	—	
		<input type="checkbox"/> Starter Dose: Take as directed per package instructions <input type="checkbox"/> Maintenance Dose: Take 1 tablet by mouth twice daily	<input type="checkbox"/> 55 <input type="checkbox"/> 60	0	
<input type="checkbox"/> Otezla®	<input type="checkbox"/> Cimzia Starter Kit <input type="checkbox"/> Cimzia 30mg Tablet	<input type="checkbox"/> Induction: Infuse _____ mg IV at weeks 0, 2, and 6 <input type="checkbox"/> Maintenance: Infuse _____ mg IV at every 8 weeks	<input type="checkbox"/> # Vial(s)	—	
<input type="checkbox"/> Remicade®	<input type="checkbox"/> Remicade 100mg vial	<input type="checkbox"/> Inject 200mg Sub-Q every OTHER week <input type="checkbox"/> Inject 150mg Sub-Q every OTHER week	<input type="checkbox"/> 2	—	
<input type="checkbox"/> Kevzara®	<input type="checkbox"/> 150mg/1.14ml Prefilled Syringe <input type="checkbox"/> 200mg/1.14ml Prefilled Syringe				

X	X
PRODUCT SUBSTITUTION PERMITTED (Date) _____	DISPENSE AS WRITTEN (Date) _____

Date Needed: _____ Medication Start Date: _____

The information included in this FAX is intended for the sole use of the individual to whom it is addressed and may contain information that is privileged, confidential and exempt from disclosure under applicable law. If you are not the intended addressee, nor authorized to receive for the intended addressee, you are hereby notified that you may not use, copy, disclose or distribute this information. If you have received this FAX in error, please contact the sender and destroy the entire document. 15350293 (11/16)